



Box In 4.3 R

solid, durable and Reliable

Spring hinge · Size 4.30 mm

Box In 4.3 R

solid, durable and Reliable

Spring hinge · Size 4.30 mm

FEATURES

STRONG HINGE
for sizable frames

HIGH ANTI ROCKING
performances

SHORT BOX
better look

SELF LOCK TROLLEY
with mechanical stop


PERFORMANCES

WEAR RESISTANCE
over 50,000 open/close cycles

ROCKING ANGLE
 $\pm 0.75^\circ$

PULLING RESISTANCE
> 400 N

BENDING RESISTANCE
min. 20 complete cycles $\pm 15^\circ$




BOX IN 4.3 R

Product Drawings

HIGH PERFORMANCE SPRING HINGE AND WIRECORE

WIRECORE



WIRECORE

L 120	03WFB094620BNX
L 130	03WFB094630BNX

Material: **Nickel silver**




BARRELING CAP

09CA90385000

Material: **Plastic**


HINGES



STEP HINGE

03FRB0901A1BY0


Material: **Nickel silver**
WITH SOLDERING PATCH
A Screw



90° PLASTIC HINGE

03FRB0902A1BN0

Material: **Nickel silver**
B Screw



180° PLASTIC HINGE

03FRB0903A1BN0


Material: **Nickel silver**
A Screw

SCREWS

STANDARD SCREW M1.40

LS 4.55	Type A	07VI20045500
LS 4.25	Type B	07VIA0791A1BYX

Material: **Stainless steel**



Visottica Industrie S.p.a.
Via Vecchia Trevigiana, 11
31058 Susegana
(Treviso), Italy
Tel +39 0438 6551
fax +39 0438 450 855
sales@visotticacomotec.com

O'Reilly Industrial Ltd.
Rm 302, Shui Hing Centre,
13 Sheung Yuet Road,
Kowloon Bay, Kowloon, Hong Kong
Tel. +852 2796 6010
Fax +852 2796 4631
sales@visotticacomotec.hk

COMOTEC Optical Products (Dongguan) Ltd.
No. 20, Weijian Road
Weijian Industrial Park
ChaShan Town, Dongguan City
Guangdong Province, China 523380
Tel. +86 769 8233 9955
Fax +86 769 8233 9977