




VI^{sy}Fit[®]

absolute Easy, absolute Fit

Special spring hinge and regular hinge for Injection frames


VISYFIT PLUS

Product Features



HIDDEN SPRING MECHANISM

MIN. TEMPLE HEIGHT 7mm




MIN. TEMPLE THICKNESS 4,70mm

EQUIPMENT PRODUCTS

Protective plug for vernice equipment


to guarantee the correct cavity functionality, the plug must be inserted all the way to the bottom of the cavity with a simple pressure



PLUG FOR TEMPLE

09CAB0646A1WYX


Material: PA6



PLUG FOR FRONT HINGE


09CAB0647A1WYX



Material: PA6




PRODUCT FINISHING

Exterior aspect of the supplied products





ASSEMBLED HINGE 03ELA0536A1BNX
Material: Nickel silver




90° PLASTIC HINGE 03FRA0534A1BN0
Material: Nickel silver

SCREWS


STANDARD CONICAL SCREW M1.40	
LS	CODE
4.10	07VIA0798A1BYX

Material: Stainless steel



VISYFIT XL


Product Features



EQUIPMENT PRODUCTS

Protective plug for vernice equipment


To guarantee the correct cavity functionality, the plug must be inserted all the way to the bottom of the cavity with a simple pressure



PLUG FOR TEMPLE

Y09CAA0363A1WYX

Material: PA6




THE EXTRA OPENING 20° MECHANICAL STOP


Guarantees a constant extra opening angle

PRODUCT FINISHING

joint surface: standard tumbling





fixing component: the surface may have slight marks of production process



VISYFIT XL

Product Drawings


SPECIAL SPRING HINGE



ASSEMBLED HINGE 03EL21634000


Material: Nickel silver

SCREWS



SELF THREADING SCREW 07VI18092500


Material: Stainless steel



ASSEMBLED HINGE 03ELA0279A1BNX

Material: Nickel silver

SCREWS




SELF THREADING SCREW 07VIA0366A1BYX

Material: Stainless steel

VISYFIT REGULAR

Product Features




PRODUCT FINISHING

Exterior aspect of the supplied products

Fixing components:




the surfaces may have slight marks of production process



VISYFIT REGULAR



Product Drawings

REGULAR HINGE FOR INJECTION FRAMES




FEMALE	
CODE	03FE62265000
Material: Nickel silver	

MALE	
α	CODE
90°	03MA62264000
95°	03MAA0385A1BNX
Material: Nickel silver	




90° MALE	
CODE	03MA35048002
Material: Nickel silver	




90° MALE	
CODE	03MA35246001
Material: Nickel silver Visottica Injection Technology	

SCREWS

STANDARD SCREW M1.40	
LS	CODE
3.95	07VIA0387A1BYX
Material: Stainless steel	



STANDARD SCREW M1.40	
LS	CODE
3.95	07VI20039501
Material: Stainless steel Visottica Injection Technology	



Visottica Industrie S.p.a.
Via Vecchia Trevigiana, 11
31058 Susegana
(Treviso), Italy
Tel +39 0438 6551
fax +39 0438 450 855
sales@visotticacomotec.com

O'Reilly Industrial Ltd.
Rm 302, Shui Hing Centre,
13 Sheung Yuet Road,
Kowloon Bay, Kowloon, Hong Kong
Tel. +852 2796 6010
Fax +852 2796 4631
sales@visotticacomotec.hk

COMOTEC Optical Products (Dongguan) Ltd.
No. 20, Weijian Road
Weijian Industrial Park
ChaShan Town, Dongguan City
Guangdong Province, China 523380
Tel. +86 769 8233 9955
Fax +86 769 8233 9977