



WR302


regular Wirecore, Revolutionary features

3 and 5 joints hinge in three sizes for Acetate Frames

WR302

regular Wirecore, Revolutionary features

3 and 5 joints hinge in three sizes for Acetate Frames



FEATURES

JOINT SYSTEM

3 and 5 joints

BENDING RESISTANCE

min. 10 complete cycles $\pm 15^\circ$
min. 3 complete cycles $\pm 30^\circ$

TORSION RESISTANCE

min. 35 complete cycles $\pm 10^\circ$

SCREWS

Standard cylindrical screw
T-shape T3 screw
Safety screw (VIT)




Performance Comparision

between classic temple closure and WR302 temple closure

CLASSIC TEMPLE CLOSURE



The front part of the hinge is too short to allow a good closing frame position




classic front hinge

WR302 TEMPLE CLOSURE




The higher WR302 front hinge ensures a perfect closure of the temples



WR302 front hinge


WR302 (3.0)
Product Drawings

REGULAR HINGE AND WIRECORE FOR ACETATE AND COMBINATION FRAMES




WIRECORE	
L	CODE
128	03WRB091828BN0
133	03WRB091833BN0

Material: **Nickel silver**




90° FRONT HINGE		
W	J	CODE
2.60	1.40	03MAA0799A1BNX

Material: **Nickel silver**
ADJUSTABLE



90° FRONT HINGE		
W	J	CODE
2.60	1.40	03MAA0800A1BN0


Material: **Nickel silver**
ADJUSTABLE
6° SLANTED ANGLE



FEMALE		
W	J	CODE
3.00	1.40	03FEA0801A1BY0


Material: **Nickel silver**

SCREWS




STANDARD SCREW M1.40	
W	CODE
3.00	07VI20035007

Material: **Stainless steel**



STANDARD SCREW M1.40	
W	CODE
3.00	07VIA0804A1BYX

Material: **Stainless steel**
Visottica Injection Technology




VISOTTICA T-SCREW M1.40	
W	CODE
2.60	07VIA0802A1BYX

Material: **Stainless steel**

WR302 (3.8) • 5 joints


Product Drawings

REGULAR HINGE AND WIRECORE FOR ACETATE AND COMBINATION FRAMES




WIRECORE	
L	CODE
128	03WRB070228BN0
133	03WRB070233BN0

Material: **Nickel silver**




90° FRONT HINGE		
W	J	CODE
3.80	2.10	03MAA0646A1BNX

Material: **Nickel silver**
ADJUSTABLE



90° FRONT HINGE		
W	J	CODE
3.80	2.10	03MAA0648A1BN0


Material: **Nickel silver**
ADJUSTABLE
6° SLANTED ANGLE



FEMALE		
W	J	CODE
3.80	2.10	03FEA0650A1BY0


Material: **Nickel silver**

SCREWS




STANDARD SCREW M1.40	
W	CODE
3.80	07VIA0710A1BYX

Material: **Stainless steel**



STANDARD SCREW M1.40	
W	CODE
3.80	07VI20045029

Material: **Stainless steel**
Visottica Injection Technology




VISOTTICA T-SCREW M1.40	
W	CODE
3.80	07VIA0706A1BYX

Material: **Stainless steel**

WR302 (5.0) • 5 joints


Product Drawings

REGULAR HINGE AND WIRECORE FOR ACETATE AND COMBINATION FRAMES




WIRECORE	
L	CODE
128	03WRB070328BN0
133	03WRB070333BN0

Material: **Nickel silver**




90° FRONT HINGE		
W	J	CODE
5.00	3.00	03MAA0645A1BNX

Material: **Nickel silver**
ADJUSTABLE



90° FRONT HINGE		
W	J	CODE
5.00	3.00	03MAA0647A1BN0


Material: **Nickel silver**
ADJUSTABLE
6° SLANTED ANGLE



FEMALE		
W	J	CODE
5.00	3.00	03FEA0649A1BY0


Material: **Nickel silver**

SCREWS




STANDARD SCREW M1.40	
W	CODE
5.00	07VI20055010

Material: **Stainless steel**



STANDARD SCREW M1.40	
W	CODE
5.00	07VI20055009

Material: **Stainless steel**
Visottica Injection Technology



VISOTTICA T-SCREW M1.40	
W	CODE
5.00	07VIA0708A1BYX

Material: **Stainless steel**

Visottica Industrie S.p.a.
Via Vecchia Trevigiana, 11
31058 Susegana
(Treviso), Italy
Tel +39 0438 6551
fax +39 0438 450 855
sales@visotticacomotec.com

O'Reilly Industrial Ltd.
Rm 302, Shui Hing Centre,
13 Sheung Yuet Road,
Kowloon Bay, Kowloon, Hong Kong
Tel. +852 2796 6010
Fax +852 2796 4631
sales@visotticacomotec.hk

COMOTEC Optical Products (Dongguan) Ltd.
No. 20, Weijian Road
Weijian Industrial Park
ChaShan Town, Dongguan City
Guangdong Province, China 523380
Tel. +86 769 8233 9955
Fax +86 769 8233 9977