



VlasyFit[®]

Invisible mechanism for freedom of expression

Spring and regular hinge for Injection frames

VISYFIT[®]

Invisible mechanism for freedom of expression

Spring and regular hinge for Injection frames

FEATURES

PRE-ASSEMBLED
mechanism

TWO VERSIONS
with/without front hinge

EASY TO INSERT
user friendly

NO SCREW / GLUE
for fixing


PERFORMANCES

WEAR RESISTANCE
over 50,000 open/close cycles
(mechanism life cycle)


NO ROCKING
Self Alignment System

PULLING RESISTANCE
(MECHANISM)
> 250 N


PULLING RESISTANCE
(HINGE IN TR90)
> 250 N




VISYFIT® PLUS
Product Drawings
Special Spring Hinge



Lubricate the hinge
to guarantee a
smooth movement



ASSEMBLED HINGE 03ELA0536A1BNX
Material: Nickel silver




90° PLASTIC HINGE 03FRA0534A1BN0
Material: Nickel silver


SCREWS

STANDARD CONICAL SCREW M1.40	
LS	CODE
4.10	07VIA0798A1BYX

Material: Stainless steel




PRODUCT SPECIFICATIONS



HIDDEN SPRING MECHANISM

MIN. TEMPLE HEIGHT 7.00mm





MIN. TEMPLE THICKNESS 4.70mm

VISYFIT® XL


Product Drawings

Special Spring Hinge




ASSEMBLED HINGE 03EL21634000
Material: Nickel silver

SCREWS




SELF THREADING SCREW 07V118092500
Material: Stainless steel





ASSEMBLED HINGE 03ELA0279A1BNX
Material: Nickel silver

SCREWS




SELF THREADING SCREW 07VIA0366A1BYX
Material: Stainless steel


PRODUCT SPECIFICATIONS



VISYFIT® XL for combination frames
Product Drawings
Special Spring Hinge




HINGES




ASSEMBLED HINGE 03ELB1238A1BNX

Material: Nickel silver



SOLDERING HINGE 03FRC2868A1BY0

Material: Nickel silver



SOLDERING HINGE 03FRC2867A1BY0


Material: Nickel silver

SCREWS


STANDARD CONICAL SCREW M1.40

LS	CODE
6.10	07VIC2865A1BYX




Material: Stainless steel



PRODUCT SPECIFICATIONS





VISYFIT® REGULAR
 Product Drawings
Special Regular Hinge




FEMALE	
CODE	03FE62265000
Material: Nickel silver	

MALE	
α	CODE
90°	03MA62264000
95°	03MAA0385A1BNX
Material: Nickel silver	




90° MALE	
CODE	03MA35048002
Material: Nickel silver	




90° MALE	
CODE	03MA35246001
Material: Nickel silver Visottica Injection Technology	

SCREWS

STANDARD SCREW M1.40	
LS	CODE
3.95	07VIA0387A1BYX
Material: Stainless steel	






STANDARD SCREW M1.40	
LS	CODE
3.95	07VI20039501
Material: Stainless steel Visottica Injection Technology	



VISYFIT® REGULAR

Product Specifications

Special Regular Hinge



Visottica Industrie S.p.a.

Via Vecchia Trevigiana, 11
31058 Susegana
(Treviso), Italy
Tel +39 0438 6551
Fax +39 0438 450 855
sales@visotticacomotec.com

O'Reilly Industrial Ltd.

Rm 302, Shui Hing Centre,
13 Sheung Yuet Road,
Kowloon Bay, Kowloon, Hong Kong
Tel +852 2796 6010
Fax +852 2796 4631
sales@visotticacomotec.hk

COMOTEC Optical Products (Dongguan) Ltd.

No. 20, Weijian Road,
Weijian Industrial Park,
ChaShan Town, Dongguan City
Guangdong Province, China 523380
Tel +86 769 8233 9955
Fax +86 769 8233 9977